

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L25	449	324/601.ccls.	USPAT	OR	OFF	2005/06/09 18:48
L26	1	324/601.ccls. and (ddr (double adj data))	USPAT	OR	OFF	2005/06/09 18:57
L27	19	calibrat\$4 with (ddr (double adj data))	USPAT	OR	OFF	2005/06/09 19:05
L28	7	(calibrat\$4 with interface and (ddr (double adj data))).clm.	US-PGPUB; USPAT	OR	OFF	2005/06/09 19:06
S1	1	"20040080322"	US-PGPUB; USPAT	OR	ON	2005/02/13 15:57
S2	0	("2004/0080322").URPN.	USPAT	OR	OFF	2005/01/11 17:26
S3	3733	324/130,601,763,765.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/11 17:30
S4	677	S3 and calibration	US-PGPUB; USPAT	OR	ON	2005/01/11 17:30
S5	24	S3 and calibration with align\$4	US-PGPUB; USPAT	OR	ON	2005/01/11 18:35
S6	123	calibrat\$4 with interface adj2 device	US-PGPUB; USPAT	OR	ON	2005/01/11 18:35
S7	9	calibrat\$4 adj2 interface adj2 device	US-PGPUB; USPAT	OR	ON	2005/01/11 18:35
S8	9	calibrat\$4 adj2 interface adj device	US-PGPUB; USPAT	OR	ON	2005/01/11 18:35

S9	94	( "3566271"   "3715513"   "3865995"   "3943305"   "4088844"   "4142075"   "4153916"   "4160122"   "4161633"   "4284859"   "4319092"   "4367374"   "4387271"   "4425664"   "4446335"   "4506112"   "4588856"   "4606044"   "4617656"   "4636584"   "4677667"   "4759054"   "4759059"   "4782524"   "4788720"   "4815121"   "4825465"   "4852153"   "4852160"   "4856049"   "4864567"   "4879738"   "4894860"   "4907267"   "4914690"   "4928306"   "4932047"   "4939767"   "4951312"   "4984262"   "4989243"   "4991196"   "4996706"   "5001746"   "5003580"   "5014299"   "5018184"   "5034978"   "5059141"   "5073919"   "5097501"   "5133006"   "5151936"   "5164982"   "5172411"   "5175763"   "5179586"   "5185789"   "5206898"   "5237605"   "5249218"   "5289538"   "5321745"   "5323449"   "5323451"   "5333194"   "5365577"   "5444770"   "5448646"   "5454036"   "5455859"   "5471523"   "5473676"   "5493609"   "5528685"   "5533092"   "5550901"   "5550913"   "5555300"   "5557669"   "5557670"   "5557672"   "5577115"   "5583922"   "5586181"   "5621731"   "5625679"   "5631955"   "D312627").PN. OR ("5912964").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/11 18:40
S10	14	S9 and semiconductor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/11 18:44
S11	66	calibrat\$4 and 324/763.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/11 18:44
S12	28	calibrat\$4 and 324/763.ccls. and interface	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/11 18:45
S13	7	calibrat\$4 with interface and 324/763.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/11 19:08
S14	21	S12 not S13	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/11 19:08
S15	107	calibrat\$4 with plurality with semiconductor	US-PGPUB; USPAT	OR	ON	2005/01/12 13:23

S16	77	(calibrat\$4 with plurality with semiconductor).clm.	US-PGPUB; USPAT	OR	ON	2005/01/12 14:05
S17	1	S16 and 324/763.ccls.	US-PGPUB; USPAT	OR	ON	2005/01/12 13:23
S18	8	"6330194"	US-PGPUB; USPAT	OR	ON	2005/01/12 14:05
S19	4	((("6281818") or ("6330194") or ("20020135357") or ("20020018537"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/02/04 14:53
S20	15	(driver with calibrat\$4 same semiconductor).clm.	US-PGPUB; USPAT	OR	OFF	2005/02/04 15:41
S21	16	(driver with calibrat\$4 same semiconductor).clm.	US-PGPUB; USPAT	OR	ON	2005/02/04 15:36
S22	4	(driver with calibrat\$4 same semiconductor).ab.	US-PGPUB; USPAT	OR	ON	2005/02/04 15:38
S23	2	(test\$4 with ddr adj interface).ab.	US-PGPUB; USPAT	OR	ON	2005/02/04 15:39
S24	0	(test\$4 with ddr adj interface).ab. and calibrat\$4	US-PGPUB; USPAT	OR	ON	2005/02/04 15:39
S25	0	(calibrat\$4 with ddr adj interface).ab.	US-PGPUB; USPAT	OR	ON	2005/02/04 15:39
S26	23	(driver near2 calibrat\$4).clm. and semiconductor	US-PGPUB; USPAT	OR	OFF	2005/02/04 15:56
S27	1960	324/537,73.1.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/04 15:59
S28	519	702/89,85.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/04 15:57
S29	5	S27 and S28	US-PGPUB; USPAT	OR	OFF	2005/02/04 15:57
S30	3024	324/763,765.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/04 15:59
S31	3	S28 and S30	US-PGPUB; USPAT	OR	OFF	2005/02/04 16:00
S32	0	S28 and calibrating near2 driver	US-PGPUB; USPAT	OR	OFF	2005/02/04 16:00
S33	7	S28 and calibrat\$4 near2 driver	US-PGPUB; USPAT	OR	OFF	2005/02/04 16:05
S34	15	ddr near interface and calibration	US-PGPUB; USPAT	OR	OFF	2005/02/04 16:05
S35	0	("2004/0080322").URPN.	USPAT	OR	OFF	2005/02/04 16:09
S36	0	(calibtat\$4 with interface with device).ab.	USPAT	OR	OFF	2005/02/04 16:27
S37	0	(calibtat\$4 with interface with device).clm.	USPAT	OR	OFF	2005/02/04 16:27
S38	22	(calibrat\$4 with interface with device).ab.	US-PGPUB; USPAT	OR	OFF	2005/02/04 16:39

S39	103	(calibrat\$4 with interface with device).clm.	US-PGPUB; USPAT	OR	OFF	2005/02/04 16:27
S40	2827	702/85-107.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/04 16:39
S41	311	S40 and calibrat\$4 and semiconductor	US-PGPUB; USPAT	OR	ON	2005/02/04 16:40
S42	144	S41 and interface	US-PGPUB; USPAT	OR	ON	2005/02/04 16:40
S43	3	S42 and ddr	US-PGPUB; USPAT	OR	ON	2005/02/04 16:40
S44	15	("5235699"   "5386392"   "5485490"   "5577236"   "5953284"   "6005813"   "6026050"   "6029250"   "6151270"   "6366507"   "6484232"   "6493836"   "6560725"   "6587804"   "6590815").PN. OR ("6763444"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 17:06
S45	681	702/117,118.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 17:06
S46	658	702/85,107.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 17:06
S47	22	S45 and S46	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 17:13
S49	169	semiconductor near2 compris\$4 same calibrat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 17:14
S50	67	(semiconductor near2 compris\$4 same calibrat\$4).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 19:02
S51	1	"6825490"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 19:11
S52	31	impedance near2 driver with calibrat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 19:17
S53	4	impedance near2 driver with calibrat\$4	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 19:12
S54	13	("5559441"   "5657456"   "6031385"   "6051995"   "6064224"   "6118310"   "6133749"   "6268750"   "6281687"   "6333639"   "6448811"   "6456124"   "6509757").PN. OR ("6636821"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 20:07

S55	8	"6330194"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 20:07
S56	8	("6160755"   "6172542").PN. OR ("6330194").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 20:16
S57	71	data adj bus same calibration same driver	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 20:23
S58	1	"20020108013"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 20:21
S59	96	data adj bus same calibration same interface	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 20:23
S60	25	(calibrating with plurality with semiconductor)	USPAT	OR	OFF	2005/02/05 17:17
S61	0	(calibrating with plurality with semiconductor with switch)	USPAT	OR	OFF	2005/02/05 17:18
S62	0	(calibrating with plurality with semiconductor with switch)	USPAT	OR	ON	2005/02/05 17:18
S63	1	(calibrating with plurality with semiconductor with switch)	US-PGPUB; USPAT	OR	ON	2005/02/05 17:18
S64	1	(calibrating with plurality with semiconductor with switch)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/05 17:20
S65	0	(calibrat\$4 adj resist\$4 with semiconductor with switch)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/05 17:20
S66	509	(calibrat\$4 adj resist\$4 with switch)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/05 17:21
S67	76	(calibrat\$4 adj resist\$4 with switch and semiconductor)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/05 17:21
S68	31	(calibrat\$4 adj resist\$4 with switch and semiconductor and bus)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/05 17:26
S69	45	S67 not S68	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/05 17:26
S70	1	("6480798").PN.	USPAT	OR	OFF	2005/02/11 14:14
S71	1	257/48.ccls. and calibrat\$4 same switch	USPAT	OR	OFF	2005/02/11 14:23
S72	2	257/48.ccls. and calibrat\$4 same switch	US-PGPUB; USPAT	OR	ON	2005/02/11 14:24
S73	55	257/48.ccls. and calibrat\$4	US-PGPUB; USPAT	OR	ON	2005/02/11 14:25

S74	4	257/48.ccls. and calibrat\$4 and driver	US-PGPUB; USPAT	OR	ON	2005/02/11 14:32
S75	35	(calibrat\$4 and driver).ti.	US-PGPUB; USPAT	OR	ON	2005/02/11 14:32
S76	34	calibration adj instruction	USPAT	OR	OFF	2005/02/11 16:03
S77	93	calibration adj instruction	USPAT	OR	ON	2005/02/11 15:54
S78	59	S77 not S76	USPAT	OR	OFF	2005/02/11 16:04
S79	26	S77 not S76 and bus	USPAT	OR	OFF	2005/02/11 16:04
S80	5	(control with address with bus same calibration).clm.	US-PGPUB; USPAT	OR	ON	2005/02/13 16:01
S81	7	(control with address with bus same calibrat\$4).clm.	US-PGPUB; USPAT	OR	ON	2005/02/13 16:15
S82	0	"20040201416"	USPAT	OR	OFF	2005/02/13 16:02
S83	1	"20040201416"	US-PGPUB; USPAT	OR	OFF	2005/02/13 16:03
S84	0	(control with address with bus same calibrat\$4).ab.	US-PGPUB; USPAT	OR	ON	2005/02/13 16:15
S85	0	(control with address with bus same calibrat\$4).ab.	USOCR	OR	ON	2005/02/13 16:16
S86	0	(control with address with bus same calibrat\$4)	USOCR	OR	ON	2005/02/13 16:16
S87	6	(control with address with bus same calibrat\$4)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 16:22
S88	130	(control with address with bus same calibrat\$4)	US-PGPUB; USPAT	OR	ON	2005/02/13 16:23
S89	17	(control with address with bus with calibrat\$4)	US-PGPUB; USPAT	OR	ON	2005/02/13 16:23